

### **In the Specification**

Please amend the specification as follows. At page 1, line 1, delete "FIELD OF THE INVENTION" and insert --BACKGROUND OF THE INVENTION--. At page 1 line 4, delete the heading "BACKGROUND OF THE INVENTION" and insert --FIELD OF THE INVENTION--.

Please amend the paragraph beginning at line 5 of page 1 as follows.

Within the meaning of the invention, [such] an article for nursery care is provided having ~~in particular with~~ a tip for suction ~~, intended to penetrate that is adapted to be inserted in~~ an infant's mouth. By way of non-limiting example, the invention is directed to ~~it is question of~~ a feeding bottle[, ] or a comforter.

One page 1, amend the paragraph beginning on line 16 as follows.

In the case of a comforter, the ~~latter conventionally comprises a body, also called~~ in a form of a shield, on which the afore-mentioned tip element for suction is mounted.

On page 2, please amend the Section entitled Brief Description of the Drawings as follows.

#### **BRIEF DESCRIPTION OF THE DRAWINGS**

The invention will be more readily understood on reading the following description given solely by way of non-limiting example, with reference to the accompanying drawings, in which:

Figure 1 is a view in longitudinal section, illustrating a feeding bottle according to the invention[.];

Figure 2 is a view in longitudinal section, similar to Figure 1, illustrating a variant embodiment of the bottle of Figure 1[.];

Figure 3 is a view in longitudinal section, illustrating a teat belonging to a feeding bottle in accordance with another variant embodiment of the invention; and

Figure 4 is a front view, illustrating a comforter for an infant according to the invention.

Please amend the paragraph beginning at line 22 of page 4 as follows.

Figure 3 illustrates a teat 120 which comprises a flange 124, extended by a skirt [116] 126, which terminates in a tip 122. This teat may be connected conventionally on a bottle body

(not shown), by means of a screw ring, likewise not shown.

Please amend the paragraph beginning at line 1 of page 5 as follows.

This teat, which is for example made by a bi-injection operation, ~~presents~~ has two different hardnesses. For example the tip 122 ~~presents~~ has a hardness lower than that of the skirt [116] 126, and therefore than that of the flange 124.

Please amend the paragraph beginning at line 4 of page 5 as follows.

More precisely, the tip 12, which is particularly made of a first type of silicone, ~~presents~~ has a hardness included for example between 20 and 50 Shore A. Furthermore, the skirt [116] 126, which is particularly made of another type of silicone, ~~presents~~ has a hardness higher for example than 50 Shore A.

Please amend the paragraph beginning at line 8 of page 5 as follows.

In use, the infant's lips abut on the skirt [116] 126, which is relatively firm. Furthermore, the infant effects a suction of

the tip, which is more supple and consequently more malleable than [said] the skirt.